Introduction to OOP Using Java



© 1992-2007 Pearson Education, Inc. All rights reserved.

Introduction

- Sun's implementation called the Java Development Kit (JDK)
- Object-Oriented Programming
- Java is language of choice for networked applications
- Java Enterprise Edition (Java EE) geared toward largescale distributed applications and web applications
- Java Micro Edition (Java ME) geared toward applications for small, memory constrained devices



Machine Languages, Assembly Languages and High-Level Languages

- Machine language
 - "Natural language" of computer component
 - Machine dependent
- Assembly language
 - English-like abbreviations represent computer operations
 - Translator programs (assemblers) convert to machine language
- High-level language
 - Allows for writing more "English-like" instructions
 - Contains commonly used mathematical operations
 - Compiler converts to machine language
- Interpreter
 - Execute high-level language programs without compilation



History of C and C++

C++ evolved from C, which evolved from BCPL and B

• C

- Developed at Bell Labs
- Popularized as the language of the UNIX operating system
- C++
 - Deveoped by Bjarne Stroustrup
 - Provides object-oriented programming capabilities
 - Hybrid language



History of Java

- Java
 - Originally for intelligent consumer-electronic devices
 - Then used for creating web pages with dynamic content
 - Now also used to:
 - Develop large-scale enterprise applications
 - Enhance web server functionality
 - Provide applications for consumer devices (cell phones, etc.)



Java Class Libraries

- Java programs consist of classes
 - Include methods that perform tasks
 - Return information after task completion
- Java provides class libraries
 - Known as Java APIs (Application Programming Interfaces)
- To use Java effectively, you must know
 - Java programming language
 - Extensive class libraries



Software Engineering Observation

When programming in Java, you will typically use the following building blocks: Classes and methods from class libraries, classes and methods you create yourself and classes and methods that others create and make available to you.



Performance Tip

Using Java API classes and methods instead of writing your own versions can improve program performance, because they are carefully written to perform efficiently. This technique also shortens program development time.



Portability Tip

Using classes and methods from the Java API instead of writing your own improves program portability, because they are included in every Java implementation.



© 1992-2007 Pearson Education, Inc. All rights reserved.

Typical Java Development Environment

- Java programs go through five phases
 - Edit
 - Programmer writes program using an editor; stores program on disk with the . java file name extension
 - Compile
 - Use javac (the Java compiler) to create bytecodes from source code program; bytecodes stored in .class files
 - Load
 - Class loader reads bytecodes from .class files into memory
 - Verify
 - Bytecode verifier examines bytecodes to ensure that they are valid and do not violate security restrictions
 - Execute
 - Java Virtual Machine (JVM) uses a combination of interpretation and justin-time compilation to translate bytecodes into machine language





Fig. 1| Typical Java development environment.



11

© 1992-2007 Pearson Education, Inc. All rights reserved.

What is Object?

- Objects:
 - Reusable software components that model real-world items
 - Look all around you
 - People, animals, plants, cars, etc.
 - Attributes
 - Size, shape, color, weight, etc.
 - Behaviors
 - Babies cry, crawl, sleep, etc.



What is OOP?

- Object-oriented design (OOD)
 - Models software in terms similar to those used to describe realworld objects
 - Class relationships
 - Inheritance relationships
 - Models communication among objects
 - Encapsulates attributes and operations (behaviors)
 - Information hiding
 - Communication through well-defined interfaces
- Object-oriented language
 - Programming in object-oriented languages is called *objectoriented programming* (OOP)
 - Classes are to objects as blueprints are to houses



// Fig. 2.1: Welcome1.java // Text-printing program. public class Welcome1 { // main method begins execution of Java application public static void main(String args[]) { System.out.println("Welcome to Java Programming!"); J // end method main } // end clazss Welcome1

Welcome to Java Programming!



© 1992-2007 Pearson Education, Inc. All rights reserved.

1 // Fig. 2.1: Welcome1.java

– Comments start with: //

- Comments ignored during program execution
- Document and describe code
- Provides code readability
- Traditional comments: /* ... */
 - /* This is a traditional
 comment. It can be
 split over many lines */

2 // Text-printing program.

- Another line of comments
- Note: line numbers not part of program, added for reference



3

– Blank line

- Makes program more readable
- Blank lines, spaces, and tabs are white-space characters
 - Ignored by compiler

4 public class Welcome1

- Begins class declaration for class Welcome1
 - Every Java program has at least one user-defined class
 - Keyword: words reserved for use by Java
 - class keyword followed by class name
 - Naming classes: capitalize every word
 - SampleClassName

- 4 public class Welcome1
- Java identifier
 - Series of characters consisting of letters, digits, underscores (_) and dollar signs (\$)
 - Does not begin with a digit, has no spaces
 - Examples: Welcome1, \$value, _value, button7
 - 7button is invalid
 - Java is case sensitive (capitalization matters)
 - a1 and A1 are different



Good Programming Practice

• By convention, always begin a class name's identifier with a capital letter and start each subsequent word in the identifier with a capital letter. Java programmers know that such identifiers normally represent Java classes, so naming your classes in this manner makes your programs more readable.



- 7 public static void main(String args[])
- Part of every Java application
 - Applications begin executing at main
 - Parentheses indicate main is a method
 - Java applications contain one or more methods
 - Exactly one method must be called main
- Methods can perform tasks and return information
 - void means main returns no information
 - For now, mimic main's first line

8

{

- Left brace begins body of method declaration
 - Ended by right brace } (line 11)



System.out.println("Welcome to Java Programming!");

- Instructs computer to perform an action

- Prints string of characters
 - String series of characters inside double quotes
- White-spaces in strings are not ignored by compiler
- System.out

9

- Standard output object
- Method System.out.println
 - Displays line of text
- This line known as a statement
 - Statements must end with semicolon ;



11 } // end method main

Ends method declaration

13 } // end class Welcome1

- Ends class declaration
- Can add comments to keep track of ending braces







Escape Description sequence

∖n	Newline. Position the screen cursor at the beginning of the next line.
\t	Horizontal tab. Move the screen cursor to the next tab stop.
\r	Carriage return. Position the screen cursor at the beginning of the current line—do not advance to the next line. Any characters output after the carriage return overwrite the characters previously output on that line.
$\backslash \backslash$	Backslash. Used to print a backslash character.
\backslash "	<pre>Double quote. Used to print a double-quote character. For example, System.out.println("\"in quotes\"");</pre>
	displays
	"in quotes"



Introduction to Java technology

The **Java programming language** is a high-level language that can be characterized by all of the following buzzwords:

- Simple
- Object oriented
- Distributed
- Multithreaded
- Dynamic
- Portable



24

Why Java is OOP?

- Encapsulation--implements information hiding and modularity (abstraction)
- **Polymorphism-**-the same message sent to different objects results in behavior that's dependent on the nature of the object receiving the message
- Inheritance--you define new classes and behavior based on existing classes to obtain code re-use and code organization



25

Why Java is considered portable?

Portable: The primary benefit of the interpreted byte code approach is that compiled Java language programs are portable to any system on which the Java interpreter and run-time system have been implemented.



© 1992-2007 Pearson Education, Inc. All rights reserved.

Typical Java Development Environment

Integrated development environments (IDEs): Provide tools that support the software-development process, including editors for writing and editing programs and debuggers for locating logic errors—errors that cause programs to execute incorrectly.

Popular IDEs

- Eclipse (www.eclipse.org)
- NetBeans (www.netbeans.org)
- JBuilder (www.codegear.com)
- JCreator (www.jcreator.com)
- BlueJ (www.blueJ.org)
- **jGRASP** (www.jgrasp.org)

